

DS-64i

Folder Inserter

User-Friendly Mail Assembly Solution



Authorized Dealer in Colorado & Wyoming

CMS
Optimizing Communications, Mailing, Shipping

www.cms-colorado.com 303.761.0681

quadi⁷ent
Because connections matter.

User-Friendly Mail Assembly Solution

Versatile, Intuitive and Productive

The DS-64i folder inserter can accommodate a wide range of documents, inserts and business reply envelopes (BRE) making it the ideal choice for a variety of applications and office environments. The DS-64i combines unparalleled ease-of-use with advanced technology. The intuitive color touch screen control panel prompts the operator through each step of job setup and operation. Quadient Remote Assistance enables folder inserter diagnostics and operator support to increase mail assembly productivity.

Easy Operation

The color touch screen display and automatic job setup make the DS-64i exceptionally easy to use. Simply load envelopes and documents and the DS-64i will adjust all settings automatically and even save them to the memory for instant recall. And, with automatic adjusting feeders, it can't get any easier.



Multi-Page Processing

Efficiently and accurately assemble and process multi-page sets. The internal CIS scanner reads inserter control codes (OMR, OCR or BCR) which can be printed nearly anywhere on the document, providing you hours of time savings and getting your mail out faster.



The DS-64i Can Be Custom Configured



Increase Processing Efficiency

- A single multi-functional feeder
- An intuitive easy-to-use control panel



Prepare Invoices and Statements

- Two multi-functional feeders
- Finished envelope side exit
- Store and recall up to 50 jobs



Easily Create Marketing Mail

- Crisply fold up to 8 pages
- Load 1,200 inserts or 325 BREs with optional MaxiFeeder



Add Business Reply Envelopes

- Feed sheets, inserts or BREs
- High-capacity vertical stacker
- Automate multi-sheet documents

Business Impact



Revenue Growth

Maximize opportunities to better communicate with customers



Risk Mitigation

Ensure that every recipient receives the right mailpiece



Customer Engagement

Create your own professional looking mailpieces



Expense Control

Maximize productivity thanks to ease of use and speed

DS-64i

1. High-Capacity Vertical Stacker

Preserves printing order and holds up to 500 finished envelopes so operators spend less time unloading

3. Feeder Linking

Continuous operation is achieved by linking feeders. If one feeder runs empty, another one automatically takes over, allowing you to refill as needed until your job is complete

2. Touch Screen Display

7" color graphical interface with wizard-based programming makes operation simple and intuitive



4. Envelope Hopper

150-envelope capacity with on-the-fly reloading

5. Automatic Collator

Collate and fold up to 8 pages together

Processing Flexibility

DS-64i's FlexFeed function allows you to process all document formats (inserts, documents and business reply envelopes, etc.). Additionally, the "Daily Mail" function even allows hand feeding of multi-page stapled document sets.

Efficient Processing

Load the feeders, and the DS-64i will accurately assemble the documents, fold, insert and even seal the finished envelopes, all in one quick process. The high-capacity envelope stacker is designed to improve accessibility and unloading of envelopes on the fly.



Specifications

Processing speed	Up to 2,000 envelopes/hour
Folding capacity	Up to 5 sheets 20 lb. single fold
Multi-document feeding	Up to 3 documents
Monthly volume	15,000/month
7" Color touch screen	Standard
FlexFeed® feeders	Standard
Cascade feeder linking	Standard
Daily Mail/Multi-page hand feeding	Standard
High-capacity vertical stacker	Standard, up to 500 envelopes
Double document detection	Standard
Automatic settings	Standard
Multi-license reading technology (OMR, BCR, 1D, 2D, OCR)	Standard
CIS document scanner	Standard
Wireless/LAN enabled	Standard
Remote diagnostics/assistance	Standard
Job memory	50
Fold types	Letter, z-fold, single, double parallel, no fold $\triangle Z \angle \leftarrow _$
Envelope feeder capacity	150
Document feeder capacity	325
Short tray feeder capacity	Up to 50 BRE/325 inserts
MaxiFeeder capacity	Up to 325 BRE/1,200 inserts
Accumulate before folding	Up to 8 documents
Catch tray	Up to 100 envelopes
Side exit (RH or LH)	Up to 225 envelopes
Noise level	70 Db
Document height	3.5" - 14"
Document width	5.1" - 9.1"
Envelope length	3.5" - 6.35"
Envelope width	6.3" - 9.7"
Maximum insert thickness	1 mm
Maximum set thickness	2.5 mm
Output Management Software (OMS)	Available

Enhance the DS-64i with the Optional Performance Package to Increase Productivity:

Processing speed: Up to 2,500/hour

Folding capacity: Up to 8 sheets/single fold

Multi-document feeding: Up to 10 documents

Monthly volume: Up to 20,000/month

Automated Document Preparation

Quadient's optional Output Management Software (OMS) can add significant value by enhancing the formatting, personalization, grouping, printing, barcoding and addressing of your documents.



About Quadient

Quadient is the driving force behind the world's most meaningful customer experiences. By focusing on four key solution areas including Customer Experience Management, Business Process Automation, Mail-related Solutions, and Parcel Locker Solutions, Quadient helps simplify the connection between people and what matters. Quadient supports hundreds of thousands of customers worldwide in their quest to create relevant, personalized connections and achieve customer experience excellence. Quadient is listed in compartment B of Euronext Paris (QDT) and belongs to the SBF 120 index.

For more information about Quadient, visit quadient.com.

Authorized Dealer in Colorado & Wyoming

CMS

Optimizing Communications, Mailing, Shipping

www.cms-colorado.com 303.761.0681

Quadient® and the Quadient logo are registered trademarks of Quadient group AG. All other company and product names may be trademarks and are the property of their respective owners. All information in this document, including descriptions of features, functions, performance and specifications is subject to change without written notice at any time.